

1 Input to 8 Output Video Distributor – RCA or BNC

Model: VD128BR

1 input to 8 output for the price of 1 input to 4 output!

Features:

- RCA or BNC 1 video input
- RCA or BNC max. 8 video output
- Bandwidth: 10MHz
- Video input level: max. 1.2
- Power “on” LED red light
- Power consumption: max. 2.5W
- Power: 12V DC



RCA Connection
1x Input
8x Output


OR



BNC Connection
With 5 BNC Plug-in Connectors
1x BNC Input
4x BNC Output
4x RCA Output






Application Diagram:






Panel View:

RCA Connection



OR

BNC Connection



Specification:

Model		VD128BR
Power Properties	Power	12V DC
	Power Consumption	2.5W
Connection Properties	Video Input	1x RCA or BNC
	Video Output	8x RCA or BNC
Video Properties	Bandwidth	10MHz
	Input Level	1.2 max.
Indicators	Power On	Red
Physical Properties	Dimensions LxWxH	80 x 73 x 20 mm / 3.1 x 2.9 x 0.8 inches 118 x 92 x 20 mm / 4.6 x 3.6 x 0.8 inches (w/ 5x connectors)
	Weight	68 g / 2.4 oz 99.2 g / 3.5 oz (w/ 5x connectors)

*Specifications are subject to change without notice.

Package Contents:

- One (1) Video Distributor
- Five (5) RCA male to BNC female connectors



- One (1) 12V DC power jack cable
- One (1) User Manual

*12V DC power adaptor (optional)



*4 additional RCA male to BNC female connectors may be purchased as an option for max. 8x BNC video output.

⚠ Caution :

- Do not connect this device to any power source other than what is supplied.
- Do not handle the unit with wet hands.
- The unit is not waterproof and should not be used outdoors.

Limited Warranty:

LIMITED ONE (1) YEAR WARRANTY AND EXCLUSIONS

Manufacturer warrants to the original consumer purchaser and not for the benefit of anyone else that this product at the time of its sale by Manufacturer is free of defects in materials and workmanship under normal and proper use for one (1) year from the purchase date. Manufacturer's only obligation is to correct such defects by repair or replacement, at its option, if within such one (1) year period the product is returned prepaid, with proof of purchase date, and a description of the problem. This warrant excludes and there is disclaimed liability for labor for removal of this product or reinstallation. **This warranty is voided if this product is installed improperly or in an improper environment, overloaded, misused, opened, abused, or altered in any manner, or is not used under normal operating conditions or not in accordance with any labels or instructions. There are no other implied warranties of any kind, including merchantability and fitness or a particular purpose, but if any implied warranty is required by the applicable jurisdiction, the duration of any such implied warrant, including merchantability and fitness of or a particular purpose, is limited to one (1) year. Manufacturer is not liable for incidental, indirect, special, or consequential damages, including without limitation, damage to, or loss of use of, any equipment, loss sales or profits or delay or failure to perform this warranty obligation.** The remedies, provided therein are the exclusive remedies under this warranty, whether based on contract, tort or otherwise.



Made in China